

1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **BLASOLUBE® 301**
(Universal grease)

Article number: 00301-01

1.2 Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the preparation:

For industrial use only
Lubricant

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Blaser Swissslube AG
Winterseistrasse 22
CH-3415 Hasle-Rüegsau
+41 (0)34 460 01 01

Further information obtainable from:

Product safety dept.
sdb@blaser.com
reach@blaser.com

1.4 Emergency telephone number:

Abbreviated dialing: 145 (or: ++41 (0)44/ 251 51 51) Toxicological Info-Centre CH-Zurich

2 Hazards identification

2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

2.2 Label elements

Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

Risk phrases:

52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases:

61 Avoid release to the environment. Refer to special instructions/safety data sheets.

Special labelling of certain preparations:

Contains N-1-naphthylaniline. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Trade name: BLASOLUBE® 301
(Universal grease)

(Contd. of page 1)

3 Composition/information on ingredients

3.2 Mixtures

Description: Mineral oil containing lubricating grease with bentonite as thickener.

Declarable, or hazardous components:

CAS-no.

EINECS: 221-133-2	1-Aminoethyl-2-heptadecylimidazoline C R34; N R50/53	0.1-0.5%
	Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
EINECS: 201-983-0	N-1-naphthylaniline Xi R43; N R50/53	0.1-0.5%
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Sens. 1, H317	
EINECS: 231-555-9 Reg.nr.: 01-2119471836-27-0000	sodium nitrite T R25; O R8; N R50	0.1-0.5%
	Ox. Sol. 3, H272; Acute Tox. 3, H301; Aquatic Acute 1, H400	

Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

4.1 Description of first aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fires with water spray.

For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up: Pick up mechanically.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Printing date 30.01.2012

Version number 3

Revision: 30.01.2012

Trade name: BLASOLUBE® 301
(Universal grease)

See Section 13 for disposal information.

(Contd. of page 2)

7 Handling and storage

7.1 Precautions for safe handling

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

Observe the general safety regulations when handling chemicals.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

Information about storage in one common storage facility: Store away from oxidizing agents.

Further information about storage conditions:

Protect from heat and direct sunlight.

Storage temperature between 0 °C and +40 °C.

Duration of storage: In original container, at least 3 years.

7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

Ingredients with limit values at the workplace: TLV value (oil mist) CH: 5 mg/m³

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures: Wash hands before breaks and at the end of work.

Respiratory protection: Not required.

Material of gloves

Suitable protective gloves: Nitril gloves, minimum thickness of 0.3 mm, e.g. Ultranitril type 491.

Corresponds to the standards DIN/EN 374-2 and 374-3.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Eye protector with side protection (framed eyeglasses) EN 166.

Body protection: Protective work clothing

9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:	Pasty
Colour:	Light brown
Odour:	Mineral-oil-like

Change in condition

Melting point/Melting range:	Not applicable
Boiling point/Boiling range:	> 300°C (DIN 51751)
Drip point:	not determined or not disposable

Flash point: > 200°C (ISO 2592)

(Contd. on page 4)

Trade name: BLASOLUBE® 301
(Universal grease)

(Contd. of page 3)

Ignition temperature:	Not applicable
Decomposition temperature:	> 350°C
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Density at 20°C:	0.93 g/cm ³ (DIN 51757)
Solubility in / Miscibility with water:	Insoluble.
Viscosity:	
Penetration	270 - 290 mm/10 @ 20°C. ISO 2137
9.2 Other information	safety relevant data, which has to be considered as product specifications.

10 Stability and reactivity

10.1 Reactivity None known if used as directed.

10.2 Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided:

Can decompose with localised heating above 350°C.

10.3 Possibility of hazardous reactions Reacts with strong oxidizing agents.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NO_x)

11 Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification:

> 2000 - < 5000 mg / kg (oral, rat)

> 5,100 mg/m³ 4h (inhalation, rat)

N-1-naphthylaniline

Oral	LD50	1625 mg/kg (rat)
------	------	------------------

Primary irritant effect:

on the skin: No irritant effect.

on the eye: No irritating effect.

Sensitization: No sensitizing effects known.

12 Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Ecotoxicological effects:

Remark: Harmful to fish

(Contd. on page 5)

Trade name: BLASOLUBE® 301
(Universal grease)

(Contd. of page 4)

Additional ecological information:**General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow product to reach ground water, water course or sewage system.

Harmful to aquatic organisms

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

13.1 Waste treatment methods**Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

12 01 12	spent waxes and fats
----------	----------------------

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

14.1 UN-Number

ADR, ADN, IMDG, IATA

Void

14.2 UN proper shipping name

ADR, ADN, IMDG, IATA

Void

14.3 Transport hazard class(es)

ADR, ADN, IMDG, IATA

Class

Void

14.4 Packing group

ADR, IMDG, IATA

Void

14.5 Environmental hazards:

Marine pollutant:

No

14.6 Special precautions for user

Not applicable.

14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Not applicable.

Transport/Additional information:

Not dangerous according to the above specifications.

UN "Model Regulation":

-

15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations: none

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

This preparation does not contain any SVHC ("Substances of Very High Concern")

(Contd. on page 6)

Trade name: BLASOLUBE® 301
(Universal grease)

(Contd. of page 5)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Regulations / approvals / listings:

Information on REACH registration numbers in section 3:

In case of lack of REACH registration numbers on mentioned hazardous substances at the end of 2010, then these numbers will be known and indicated only in section 3 within its tonnage band for registration, after the end of 2013, respectively by the end of 2018, or are exempt from the REACH regulation (e.g. polymers).

RoHS:

The product is compliant with European Directives 2002/95/EC, WEEE 2002/96/EC, 2003/11/EC, 2005/53/EC and RoHS.

The following substances ARE NOT contained:

Pentabromodiphenylether, Octabromodiphenylether, polybrominated diphenylether (PDBE) and / or polybrominated biphenyls (PBB), lead or it's compounds, cadmium or it's compounds, mercury or it's compounds, chromium-6 + compounds.

IP346:

The contained refined mineral oils are exempt of labelling.

The content of polycyclic aromatic hydrocarbons (PCA) according to IP346 is <3% (DMSO-extract).

Relevant phrases

H272 May intensify fire; oxidiser.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

R25 Toxic if swallowed.

R34 Causes burns.

R43 May cause sensitisation by skin contact.

R50 Very toxic to aquatic organisms.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R8 Contact with combustible material may cause fire.

The product does not contain:

PCB, PCT, TCDD (tetrachlorodibenzodioxin) and other dioxin-like substances.

Department issuing MSDS: Product Safety Department

Contact: Mr. Frei

Editor's notice:

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

Abbreviations and acronyms:

RoHS: Restriction of Hazardous Substances

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

VOC: Volatile Organic Compounds (USA, EU)

ISO: International Organization for Standardization

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

SVHC: Substance of Very High Concern (REACH)

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 30.01.2012

Version number 3

Revision: 30.01.2012

Trade name: BLASOLUBE® 301
(Universal grease)

(Contd. of page 6)

*** Data compared to the previous version altered.**

The asterisk (*) on the left side indicate the respective changes from the previous version.

GB